

PRASAD INTERNATIONAL LIMITED



REACH Status: Pre Registered

Date: 01.04.2013 Revision: 01

Product Description			
CI Generic Name	Pigment Yellow 14	PIL Product Code	PRIN 1009
CI No.	21 095	CAS No.	5468-75-7
EINECS No.	226-789-3	Chemical Type	Diarylide Yellow
Molecular Formula	C34H30Cl2N6O4	Molecular Weight	657.5

Chemical Name: 2,2'-[(3,3'-dichloro[1,1'-biphenyl]-4,4'-diyl)bis(azo)]bis[N-(2-methylphenyl)-3-oxobutyramide]

Physical Properties		
Sieve Residue (PPM) Max.	1000	
Oil Absorption(gms)	60-75	
Bulk Density(gm/ml)	20-30	
Salt Content (%) Max.	1	
Moisture Content (%) Max.	1	

Mass Tone : 5%	Tint Tone : 1:9 Ratio	

Fastness properties		
Heat °C		200 °C
Light	Mass Tone	4
Light	Tint Tone	4

Solvent Fastness properties		
Water	5	
Acid	5	
Alkali	5	
Ethanol	5	
MEK	4-5	
Mineral Spirit	5	

Application	
NC alcohol	Recommended
Water based	Recommended
Polyamide	Recommended
Sheetfed	Recommended

Specification		
Coloristic properties	Strength: ±5%	
Coloristic properties	DA,DB,DE,DC,DH,DL: ±1	
Light fastness : Scale 1-8	1~Poor & 8~Excellent	
Weather fastness : Scale 1-5	1~Poor & 5~Excellent	
Solvent Fastness: Scale 1-5	1~Poor & 5~Excellent	

The colors above have been generated electronically and should therefore not be used for comparison purposes. The colors are meant to give a first impression of the colorant shade.

The data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our Product, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights, etc. given herein may change without prior information and do not constitute the agreed contractual quality of the product. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed.

Regd. Office: 601-602, Surya Rath, Panchvati, 1st. Lane, Opp. White House, Ambawadi, Ahmedabad-380 006, Gujarat, India **Phone:** +91-79-26422349/26425650 **Fax:** +91-79-26562870 **E-mail:** techservices@prasadinternational.com